



ALARMED EXIT DEVICE

All Brookline E5000 Series Exit Device Can Be Converted Into Alarmed Exit Devices. The Alarm Feature is Designed to Deter and Signal Unauthorized Movement Through The Opening. An Audible Alarm Will Sound When a Person Tries to Use The Device. The Alarm Will Continue to Sound Until It Is Manually Reset with A Key.



Details:

Alarmed Exit Devices Have a Warning Printed On The Touch Bar In Bright Red Letters.

" EMERGENCY EXIT ONLY. PUSH TO OPEN ALARM WILL SOUND"

When The Touch Bar Is Depressed an Audible Alarm Will Sound

The Alarm Kit is Powered By a 9 VDC battery,

There Are Two Types of Modules That Are Available For The E5000 Series Device

Type AL1- Monitors The Touch Bar. When The Touch Bar is Depressed. a Horn Will Sound. Until Manually Reset. The AL1 Type Is Suitable For Exit Devices Without Exterior Trin EO (Exit Only)

Type AL2 - Monitors The Touch Bar and The Latchbolt When the Touch Bar is Depressed or The Latchbolt is Retracted by The Outside Trim, The Horn Will Sound

Technical Note: When The AL1 or AL2 Alarm Kits Are Installed on A Non Fire Rated Device, The Dogging Feature Is No Longer Available.

How To Order Alarmed Exit Device

E5110 -XXX-36-E580-70-IC6-630

